IN THE SPECIFICATION

Page 1, before "FIELD OF THE INVENTION AND RELATED ART," insert the following:

--This is a divisional application of Application No. 08/717,072, filed on September 20, 1996.--

Please replace the paragraph starting at page 15, line 5 and ending at line 8 with the following paragraph.

--Figure 2, consisting of Figs. 2(a)-2(d), is a schematic sectional view showing an example of a liquid ejecting head using the liquid ejection principle applied to the present invention.--

Please replace the section starting at page 16, line 12 and ending at line 22 with the following.

--Figure 11, consisting of Figs. 11(a) and 11(b), illustrates an operation of a movable member.

Figure 12 illustrates a structure of a movable member and a first liquid flow path.

Figure 13, consisting of Figs. 13(a)-13(c), illustrates structures of a movable member and liquid flow path.

Figure 14, consisting of Figs. 14(a)-14(c), illustrates another configuration of the movable member.

Figure 15, consisting of Figs. 15(a) and 15(b), is a longitudinal sectional view of a liquid ejecting head using the liquid ejection principle applied to the present invention.--

Please replace the paragraph starting at page 19, line 12 and ending at line 14 with the following paragraph.

--Figure 39 is a sectional view, consisting of Figs. 39(a)-39(d), are sectional views of a liquid flow path of a head using a driving method according to a seventh embodiment of the present invention.--

Please replace the paragraph starting at page 19, line 23 and ending at line 24 with the following paragraph.

--Figure 44, consisting of Figs. 44(a) and 44(b), illustrates driving pulses of an eighth embodiment according to the present invention.--

Please replace the section starting at page 20, line 8 and ending at line 17 with the following.

--Figure 49 is a sectional view of a liquid ejecting head suitable for a driving method for a liquid ejecting head according to a first 0 tenth embodiment of the present invention.

Figure 50 shows pulses for driving a heat generating element.

Figure 51, consisting of Figs. 51(a)-51(d), illustrates the first 0 tenth embodiment, and more particularly is a sectional view of a liquid flow path of a head using a driving method of the present invention.--

Please replace the paragraph starting at page 21, line 19 and ending at line 21 with the following paragraph.

--Figure 64, consisting of Figs. 64(a) and 64(b), is a sectional view showing a structure of a liquid ejecting head according to a first 4 14th embodiment of the present invention.--